INDEX TO AUTHORS

A

\IST, JAMES R. The mitotic apparatus in fungi, *Ceratocystis fagacearum* and *Fusarium oxysporum*, 120

\LLEN, RICHARD D. The morphogenesis of basal bodies and accessory structures of the cortex of the ciliated protozoan, *Tetrahymena pyriformis*, 716

\MMERMANN, DIETER. Release of DNA breakdown products into the culture medium of *Stylonychia mytilus* exconjugants (Protozoa, Ciliata) during the destruction of the polytene chromosomes, 576

\ZARNOFF, DANIEL. See SVOBODA, AZARNOFF, and REDDY, 734

B

BAGGIOLINI, MARCO, HIRSCH, JAMES G., and DE DUVE, CHRISTIAN. Resolution of granules from rabbit heterophil leukocytes into distinct populations by zonal sedimentation, 529

BAUMANN, FRITZ. See PERRELET and BAUMANN, 825

BENSCH, KLAUS G., and MALAWISTA, STEPHEN E. Microtubular crystals in mammalian cells, 95

BER, R. See GRIFFIN and BER, 297

BICZYSKOWA, W. See GRONIOWSKI, BICZYSKOWA, and WALSKI, 585

BONNETT, HOWARD T., JR. Cortical cell death during lateral root formation, 144

BORNSTEIN, PAUL. See ROSS and BORNSTEIN, 366

BOUCK, G. BENJAMIN. Extracellular microtubules. The origin, structure, and attachment of flagellar hairs in *Fucus* and *Ascophyllum* antherozoids, 446

BOVEE, EUGENE C. See ORGAN, BOVEE, and JAHN, 389

BRIGHTMAN, M. W., and REESE, T. S. Junctions between intimately apposed cell membranes in the vertebrate brain, 648

BRITTINGER, GÜNTER, HIRSCHHORN, ROCHELLE, HIRSCHHORN, KURT, and WEISSMANN, GERALD. Effect of pokeweed mitogen (PWM) on lymphocyte lysosomes, 843

BULGER, RUTH ELLEN. The use of potassium pyroantimonate in the localization of sodium ions in rat kidney tissue, 79

BUNGE, RICHARD P. See HENDELMAN and BUNGE, 190

C

CARAFOLI, ERNESTO. See MUSCATELLO and CARAFOLI, 602

—. See PASQUALI-RONCHETTI, GREENAWALT, and CARAFOLI, 565

CARLSON, KATHRYN. See ROSENBAUM and CARLSON, 415

CARON, G. A. See PAULY, CARON, and SUSKIND, 847

CHUI, DAVID. See RIFKIND, CHUI, and EPLER 343

CIVAN, MORTIMER M. See DIBONA, CIVAN, and LEAF, 1

CONE, M. VIRGINIA. See HINSCH and CONE, 336

CRAIG, NESSLY, and GOLDSTEIN, LESTER. Studies on the origin of ribosomes in *Amoeba proteus*, 622

CURTIS, JOSEPH C. See NICKERSON and CURTIS, 859

D

DE DUVE, CHRISTIAN. See BAGGIOLINI, HIRSCH, and DE DUVE, 529

DE ZOETEN, G. A., and GAARD, G. Possibilities for inter- and intracellular translocation of some icosahedral plant viruses, 814

DIBONA, DONALD R., CIVAN, MORTIMER M., and LEAF, ALEXANDER. The anatomic site of the transepithelial permeability barriers of toad bladder, 1

DIETERT, SCOTT E., and SCALLEN, TERENCE J. An ultrastructural and biochemical study of the effects of three inhibitors of cholesterol biosynthesis upon murine adrenal gland and testis. Histochemical evidence for a lysosome response, 44

—. See SCALLEN and DIETERT, 802

DOYLE, D., and LAUFER, H. Sources of larval salivary gland secretion in the dipteran *Chironomus tentans*, 61

E

ELLIS, RICHARD A. See ERNST and ELLIS, 305

EPLER, HAZEL. See RIFKIND, CHUI, and EPLER, 343

EPSTEIN, WILLIAM L. See FUKUYAMA and EPSTEIN, 830

ERNST, STEPHEN A., and ELLIS, RICHARD A. The development of surface specialization in the secretory epithelium of the avian salt gland in response to osmotic stress, 305

F

FELEPPA, ERNEST, JR. Holographic, motion-induced-contrast images, 838

FISHER, HAROLD W. See YEH and FISHER, 382

FLORIDA, ROBERT G. See WOLKEN and FLORIDA, 279

FORSSMANN, W. G., ORCI, L., PICTET, R., RENOLD,

A. E., and ROUILLER, C. The endocrine cells in the epithelium of the gastrointestinal mucosa of the rat. An electron microscope study, 692
FUKUYAMA, KIMIE, and EPSTEIN, WILLIAM L. Sulfur-containing proteins and epidermal keratinization, 830

G

GAARD, G. See DE ZOETEN and GAARD, 814
GLICK, DAVID. See SILVERMAN and GLICK, 761, 773
—. See SILVERMAN, SCHREINER, and GLICK, 768
GOLDSTEIN, LESTER. See CRAIG and GOLDSTEIN, 622
GREENAWALT, JOHN W. See PASQUALI-RONCHETTI, GREENAWALT, and CARAFOLI, 565
GRIFFIN, JOE L., STEIN, MARVIN N., and STOWELL, ROBERT E. Laser microscope irradiation of *Physarum polycephalum*. Dynamic and ultrastructural effects, 108
GRIFFIN, M. J., and BER, R. Cell cycle events in the hydrocortisone regulation of alkaline phosphatase in HeLa S3 cells, 297
GRIMLEY, PHILIP M. See KOHLER, GRIMLEY, and O'MALLEY, 8
GRONIOWSKI, J., BICZYSKOWA, W., and WALSKI, M. Electron microscope studies on the surface coat of the nephron, 585
GURNEY, ELIZABETH G. See HOLT and GURNEY, 484

H

HARTSHORNE, D. J. See STROMER, HARTSHORNE, MUELLER, and RICE, 167
HENDELMAN, WALTER J., and BUNGE, RICHARD P. Radioautographic studies of choline incorporation into peripheral nerve myelin, 190
HERNANDEZ, W. See RAMBOURG, HERNANDEZ, and LEBLOND, 395
HINSCH, GERTRUDE W., and CONE, M. VIRGINIA. Ultrastructural observations of vitellogenesis in the spider crab, *Libinia emarginata* L., 336
HIRSCH, JAMES G. See BAGGIOLINI, HIRSCH, and DE DUVE, 529
HIRSCHHORN, KÜRT. See BRITTINGER, HIRSCHHORN, HIRSCHHORN, and WEISSMANN, 843
HIRSCHHORN, ROCHELLE. See BRITTINGER, HIRSCHHORN, HIRSCHHORN, and WEISSMANN, 843
HODGE, L. D., ROBBINS, ELLIOTT, and SCHARFF, M. D. Persistence of messenger RNA through mitosis in HeLa cells, 497
HOLT, CHARLES E., and GURNEY, ELIZABETH G. Minor components of the DNA of *Physarum polycephalum*. Cellular location and metabolism, 484
HOLTZMAN, ERIC, and PETERSON, EDITH R. Uptake of protein by mammalian neurons, 863
HUFNAGEL, LINDA A. Cortical ultrastructure of *Paramecium aurelia*. Studies on isolated pellicles, 779
HUGHES, CHARLES. See TESAR, KOENIG, and HUGHES, 225

I

ITO, AKIO, and SATO, RYO. Proteolytic microdissection of smooth-surfaced vesicles of liver microsomes, 179

J

JAHN, THEODORE L. See ORGAN, BOVEE, and JAHN, 389
JENTZSCH, GISELA. See ROBBINS and JENTZSCH, 678

K

KARASAKI, SHUICHI. The fine structure of proliferating cells in preneoplastic rat livers during azo-dye carcinogenesis, 322
KARNOVSKY, MANFRED L. See MICHELL, PANCAKE, NOSEWORTHY, and KARNOVSKY, 216
KLEIN, N. W. See PIPER and KLEIN, 209
KOENIG, HAROLD. See TESAR, KOENIG, and HUGHES, 225
KOHLER, PETER O., GRIMLEY, PHILIP M., and O'MALLEY, BERT W. Estrogen-induced cytodifferentiation of the ovalbumin-secreting glands of the chick oviduct, 8
KUBAI, DONNA F., and RIS, HANS. Division in the Dinoflagellate *Gyrodinium Cohnii* (Schiller). A new type of nuclear reproduction, 508

L

LAFONTAINE, J.-G. See LORD and LAFONTAINE, 633
LANE, NANCY J. Intranuclear fibrillar bodies in actinomycin D–treated oocytes, 286
LASANSKY, ARNALDO. Basal junctions at synaptic endings of turtle visual cells, 577
LAUFER, H. See DOYLE and LAUFER, 61
LEAF, ALEXANDER. See DIBONA, CIVAN, and LEAF, 1
LEBLOND, C. P. See RAMBOURG, HERNANDEZ, and LEBLOND, 395
LEVINE, LAWRENCE. See RICHARDSON, TASHJIAN, and LEVINE, 236
LORD, A., and LAFONTAINE, J.-G. The organization of the nucleolus in meristematic plant cells. A cytochemical study, 633

M

MALAWISTA, STEPHEN E. See BENSCH and MALAWISTA, 95
MCCARL, RICHARD L., and SHALER, ROBERT C. The effects of actinomycin D on protein synthesis and beating in cultured rat heart cells, 859
MICHELL, ROBERT H., PANCAKE, SAMUEL J., NOSEWORTHY, JOHN, and KARNOVSKY, MANFRED L. Measurement of rates of phagocytosis. The use of cellular monolayers, 216
MILES, CHARLES P., and O'NEILL, FRANK. ^{3}H-labeling patterns of permanent cell line chromosomes showing pulverization or accentuated secondary constrictions, 553
MITCHELL, CAROLYN D. Preservation of the lipids of the human erythrocyte stroma during fixation and dehydration for electron microscopy, 869

MOENS, PETER B. The fine structure of meiotic chromosome pairing in the triploid, *Lilium tigrinum*, 273
—. Multiple core complexes in grasshopper spermatocytes and spermatids, 542
MUELLER, HELMUT. See STROMER, HARTSHORNE, MUELLER, and RICE, 167
MUSCATELLO, UMBERTO, and CARAFOLI, ERNESTO. The oxidation of exogenous and endogenous cytochrome *c* in mitochondria. A biochemical and ultrastructural study, 602

N

NACHMIAS, VIVIANNE T. Studies on streaming. I. Inhibition of protoplasmic streaming and cytokinesis of *Chaos chaos* by adenosine triphosphate and reversal by magnesium and calcium ions, 160
NICKERSON, PETER A., and CURTIS, JOSEPH C. Concentric whorls of rough endoplasmic reticulum in adrenocortical cells of the Mongolian gerbil, 859
NOSEWORTHY, JOHN. See MICHELL, PANCAKE, NOSEWORTHY, and KARNOVSKY, 216

O

O'MALLEY, BERT W. See KOHLER, GRIMLEY, and O'MALLEY, 8
O'NEILL, FRANK. See MILES and O'NEILL, 553
ORCI, L. See FORSSMANN, ORCI, PICTET, RENOLD, and ROUILLER, 692
ORGAN, ALAN E., BOVEE, EUGENE C., and JAHN, THEODORE L. The mechanism of the nephridial apparatus of *Paramecium multimicronucleatum*. II. The filling of the vesicle by action of the ampullae, 389
OVERTON, JANE. A fibrillar intercellular material between reaggregating embryonic chick cells, 136

P

PADAWER, JACQUES. Uptake of colloidal thorium dioxide by mast cells, 747
PANCAKE, SAMUEL J. See MICHELL, PANCAKE, NOSEWORTHY, and KARNOVSKY, 216
PARAKKAL, PAUL F. Ultrastructural changes of the basal lamina during the hair growth cycle, 561
PASQUALI-RONCHETTI, IVONNE, GREENAWALT, JOHN W., and CARAFOLI, ERNESTO. On the nature of the dense matrix granules of normal mitochondria, 565
—. The organization of the sarcoplasmic reticulum and T system in the femoral muscle of the housefly, *Musca domestica*, 269
PAULY, J. L., CARON, G. A., and SUSKIND, R. R. Blast transformation of lymphocytes from guinea pigs, rats, and rabbits induced by mercuric chloride in vitro, 847
PERRELET, ALAIN, and BAUMANN, FRITZ. Evidence for extracellular space in the rhabdome of the honeybee drone eye, 825
PETERSON, EDITH R. See HOLTZMAN and PETERSON, 863
PHILLIPS, DAVID M. Exceptions to the prevailing pattern of tubules (9 + 9 + 2) in the sperm flagella of certain insect species, 28
—. See PHILLIPS and PHILLIPS, 248
PHILLIPS, STEPHANIE GORDON, and PHILLIPS, DAVID M. Sites of nucleolus production in cultured Chinese hamster cells, 248
PICTET, R. See FORSSMANN, ORCI, PICTET, RENOLD, and ROUILLER, 692
PIPER, J. A., and KLEIN, N. W. The differential sensitivity of cultured chick mesodermal cells to actinomycin D, 209
POGO, BEATRIZ G. T. The effect of *N*-acetyl-D-galactosamine and amantadine hydrochloride on equine lymphocytes stimulated with phytohemagglutinin, 571

R

RAMBOURG, A., HERNANDEZ, W., and LEBLOND, C. P. Detection of complex carbohydrates in the Golgi apparatus of rat cells, 395
REDDY, JANARDAN. See SVOBODA, AZARNOFF, and REDDY, 734
REESE, T. S. See BRIGHTMAN and REESE, 648
RENOLD, A. E. See FORSSMANN, ORCI, PICTET, RENOLD, and ROUILLER, 692
REZNIK, M. Thymidine-^{3}H uptake by satellite cells of regenerating skeletal muscle, 568
RICE, ROBERT V. See STROMER, HARTSHORNE, MUELLER, and RICE, 167
RICHARDSON, U. INGRID, TASHJIAN, ARMEN H., JR., and LEVINE, LAWRENCE. Establishment of a clonal strain of hepatoma cells which secrete albumin, 236
RIFKIND, RICHARD A., CHUI, DAVID, and EPLER, HAZEL. An ultrastructural study of early morphogenetic events during the establishment of fetal hepatic erythropoiesis, 343
RIS, HANS. See KUBAI and RIS, 508
ROBBINS, ELLIOTT, and JENTZSCH, GISELA. Ultrastructural changes in the mitotic apparatus at the metaphase-to-anaphase transition, 678
—. See HODGE, ROBBINS, and SCHARFF, 497
ROBISON, W. GERALD, JR. See ROSS and ROBISON, 426
ROSENBAUM, JOEL L., and CARLSON, KATHRYN. Cilia regeneration in *Tetrahymena* and its inhibition by colchicine, 415
ROSS, JEAN, and ROBISON, W. GERALD, JR. Unusual microtubular patterns and three-dimensional movement of mealybug sperm and sperm bundles, 426
ROSS, RUSSELL, and BORNSTEIN, PAUL. The elastic fiber. I. The separation and partial characterization of its macromolecular components, 366
ROUILLER, C. See FORSSMANN, ORCI, PICTET, RENOLD, and ROUILLER, 692

S

SATO, RYO. See ITO and SATO, 179
SCALLEN, TERENCE J., and DIETERT, SCOTT E. The

quantitative retention of cholesterol in mouse liver prepared for electron microscopy by fixation in a digitonin-containing aldehyde solution, 802
—. See DIETERT and SCALLEN, 44
SCHARFF, M. D. See HODGE, ROBBINS, and SCHARFF, 497
SCHREINER, BERIT. See SILVERMAN, SCHREINER, and GLICK, 768
SHALER, ROBERT C. See MCCARL and SHALER, 850
SILVERMAN, LLOYD, and GLICK, DAVID. Measurement of protein concentration by quantitative electron microscopy, 773
— and —. The reactivity and staining of tissue proteins with phosphotungstic acid, 761
—, SCHREINER, BERIT, and GLICK, DAVID. Measurement of thickness within sections by quantitative electron microscopy, 768
STEIN, MARVIN N. See GRIFFIN, STEIN, and STOWELL, 108
STEIN, OLGA, and STEIN, YECHEZKIEL. Lecithin synthesis, intracellular transport, and secretion in rat liver. IV. A radioautographic and biochemical study of choline-deficient rats injected with choline-^{3}H, 461
STEIN, YECHEZKIEL. See STEIN and STEIN, 461
STOWELL, ROBERT E. See GRIFFIN, STEIN, and STOWELL, 108
STROMER, MARVIN H., HARTSHORNE, D. J., MUELLER, HELMUT, and RICE, ROBERT V. The effect of various protein fractions on Z- and M-line reconstitution, 167
SUSKIND, R. R. See PAULY, CARON, and SUSKIND, 847
SVOBODA, DONALD, AZARNOFF, DANIEL, and REDDY, JANARDAN. Microbodies in experimentally altered cells. II. The relationship of microbody proliferation to endocrine glands, 734

T

TASHJIAN, ARMEN H., JR. See RICHARDSON, TASHJIAN, and LEVINE, 236
TESAR, JOSEPH T., KOENIG, HAROLD, and HUGHES, CHARLES. Hormone storage granules in the beef anterior pituitary. I. Isolation, ultrastructure, and some biochemical properties, 225

W

WALSKI, M. See GRONIOWSKI, BICZYSKOWA, and WALSKI, 585
WEISSMANN, GERALD. See BRITTINGER, HIRSCHHORN, HIRSCHHORN, and WEISSMANN, 843
WILSON, H. J. Arms and bridges on microtubules in the mitotic apparatus, 854
WOLKEN, JEROME J., and FLORIDA, ROBERT G. The eye structure and optical system of the crustacean copepod, *Copilia*, 279

Y

YEH, JEN, and FISHER, HAROLD W. A diffusible factor which sustains contact inhibition of replication, 382

INDEX TO SUBJECTS

A

Acetyl-D-galactosamine and amantadine hydrochloride, effect of on equine lymphocytes stimulated with phytohemagglutinin, biochemical study, 571

Actinomycin D, differential sensitivity of cultured mesodermal cells of chick embryo to, biochemical and cytological study, 209

— D, effects of on protein synthesis and beating in cultured rat heart cells, biochemical study, 850

— D, intranuclear fibrillar bodies in newt oocytes treated with, biochemical and radioautographic and light and EM study, 286

Adenosine triphosphate, inhibition of protoplasmic streaming and cytokinesis of *Chaos chaos* by, reversal by magnesium and calcium ions, biochemical and light microscopic study, 160

Adrenal gland, liver and testis, of mouse, effects of three inhibitors of cholesterol biosynthesis on, histochemical evidence for lysosome response, biochemical and light and EM study, 44

Adrenocortical cells, of Mongolian gerbil, concentric whorls in rough endoplasmic reticulum of, light and EM study, 859

Albumin, secretion of by clonal strain of cells of rat hepatoma Morris No. 7795, biochemical and immunological study, 236

Alga, *Blastophysa rhizopus* Reinke, mitotic apparatus, arms and bridges on microtubules of, EM study, 854

Algae, *Fucus vesiculosus*, *Fucus spiralis*, and *Ascophyllum nodosum*, origin, structure, and attachment of flagellar hairs in antherozoids of, extracellular microtubules in, EM study, 446

Alkaloids, periwinkle (*Vinca*), vinblastine and vincristine sulfate, intracellular microtubular crystals caused by, in mammalian cells, EM study, 95

Amantadine hydrochloride and *N*-acetyl-D-galactosamine, effect of on equine lymphocytes stimulated with phytohemagglutinin, biochemical study, 571

Amphibian, newt *Triturus viridescens*, intranuclear fibrillar bodies in actinomycin D–treated oocytes of, biochemical and radioautographic and light and EM study, 286

Ampullae, of nephridial apparatus of *Paramecium multimicronucleatum*, filling of water expulsion vesicle by action of, cinephotomicrographic study, 389

Antherozoids, of algae *Fucus* and *Ascophyllum*, origin, structure, and attachment of flagellar hairs in, extracellular microtubules in, EM study, 446

Arms, and bridges, on microtubules in mitotic apparatus of alga *Blastophysa rhizopus* Reinke, EM study, 854

Azo dye, *N*,*N'* - dimethyl - 4 - aminoazo - benzen (DAB), fine structure of proliferating cells in preneoplastic rat livers during carcinogenesis due to radioautographic light and EM study, 322

B

Basal bodies, and accessory structures, of cortex of ciliated protozoan *Tetrahymena pyriformis*, morphogenesis of, light and EM study, 716

— junctions, at synaptic endings of visual cells, of turtle, EM study, 577

— lamina, of hair follicle, of mouse, ultrastructural changes of during hair growth cycle, light and EM study, 561

Beating, and protein synthesis, in cultured rat heart cells, effects of actinomycin D on, biochemical study, 850

Beef, anterior pituitary gland, isolation, ultrastructure, and biochemical properties of large and small hormone storage granules in, biochemical and EM study, 225

Bladder, of toad, anatomic site of transepithelial permeability barriers of, EM study, 1

Blast transformation of lymphocytes, from guinea pig and rat lymph nodes and rabbit spleen, induced by mercuric chloride in vitro, biochemical and light microscopic study, 847

Brain, of vertebrates (mouse, goldfish, and chicken), junctions between intimately apposed cell membranes in, EM study, 648

Bridges, and arms, on microtubules in mitotic apparatus of alga *Blastophysa rhizopus* Reinke, EM study, 854

C

Calf, fetal, ligamentum nuchae, separation and partial characterization of macromolecular components of elastic fiber of, biochemical and EM study, 366

Carbohydrate surface coat, of nephron of rabbit kidney, biochemical and EM study, 585

Cell, cortical, death of during lateral root formation, of field bindweed *Convolvulus arvensis*, light and EM study, 144

— line 3T3, of mouse, diffusible factor which sustains contact inhibition of replication, biochemical and light microscopic study, 382

— lines, HeLa, lymphoma Ogun, leukocyte LK1D, LK63, SKL-1, mouse rhabdomyosarcoma T811, Chinese hamster Don, tritium-labeling patterns in chromosomes of showing pulverization or accentuated secondary constrictions, radioautographic study, 553

Cell, mast, of rat, uptake of colloidal thorium dioxide by, EM study, 747
— membranes, intimately apposed, in vertebrate brain, junctions between, EM study, 648
— surface specialization in response to osmotic stress, in secretory epithelium of avian salt gland, biochemical and light and EM study, 305
Cells, adrenocortical, of Mongolian gerbil, concentric whorls in rough endoplasmic reticulum of, light and EM study, 859
—, cultured mesodermal, of chick embryo, differential sensitivity of to actinomycin D, biochemical and cytological study, 209
—, cultured, of Chinese hamster fetus, sites of nucleolus production in, radioautographic and light and EM study, 248
—, cultured, of rat heart, effects of actinomycin D on protein synthesis and beating in, biochemical study, 850
—, endocrine, in epithelium of gastrointestinal mucosa of rat, light and EM study, 692
—, HeLa, mitotic apparatus, ultrastructural changes in at metaphase-to-anaphase transition, EM study, 678
—, HeLa S3, cell cycle events in hydrocortisone regulation of alkaline phosphatase in, biochemical study, 297
—, HeLa S3, persistence of messenger RNA through mitosis in, biochemical and light and EM study, 497
—, meristematic, of plants *Allium porum* and *Triticum vulgare*, organization of nucleolus in, biochemical and radioautographic and light and EM study, 633
—, of rat hepatoma Morris No. 7795, establishment of albumin-secreting clonal strain of, biochemical and immunological study, 236
—, of rat, of surface epithelia, glands, genital organs, hard tissues, nervous system, and excretory system, detection of complex carbohydrates in Golgi apparatus of, cytochemical light and EM study, 395
—, proliferating, in preneoplastic rat livers, fine structure of during azo-dye carcinogenesis, radioautographic light and EM study, 322
—, reaggregating, of embryonic chick, fibrillar intercellular material between, biochemical and EM study, 136
—, satellite, of regenerating skeletal muscle of mouse, uptake of thymidine-^{3}H by, radioautographic EM study, 568
—, visual, of turtle, basal junctions at synaptic endings of, EM study, 577
Cellular monolayers, of guinea pig peritoneal or human blood leukocytes, measurement of rates of phagocytosis by, glucose oxidation in, biochemical and light microscopic study, 216
Chick, embryo, cultured mesodermal cells, differential sensitivity of to actinomycin D, biochemical and cytological study, 209
—, embryo, fibrillar intercellular material between reaggregating cells of, biochemical and EM study, 136
Chick, oviduct, estrogen-induced cytodifferentiation of ovalbumin-secreting glands of, biochemical and histological and EM study, 8
Chicken, mouse, and goldfish, junctions between intimately apposed cell membranes in brain of, EM study, 648
Chinese hamster cells, in tissue culture, sites of nucleolus production in, radioautographic and light and EM study, 248
Cholesterol biosynthesis, effects of three inhibitors of on mouse liver, adrenal gland, and testis, histochemical evidence for lysosome response, biochemical and light and EM study, 44
—, quantitative retention of, in mouse liver prepared in digitonin-containing aldehyde solution, biochemical and mass spectrometric and EM study, 802
Choline-deficient rat, lecithin synthesis, intracellular transport and secretion in liver of, biochemical and radioautographic EM study, 461
Choline, incorporation of into peripheral nerve myelin of rat, radioautographic light and EM study, 190
Chromosome pairing, fine structure of in triploid *Lilium tigrinum* during meiosis, light and EM study, 27
Chromosomes, of permanent cell lines, tritium-labeling patterns of, showing pulverization or accentuated secondary constrictions, radioautographic study, 553
—, polytene, of protozoa *Stylonychia mytilus*, release of DNA breakdown products into culture medium during destruction of, biochemical and radioautographic study, 576
Cilia regeneration, in protozoan *Tetrahymena pyriformis*, inhibition of by colchicine, biochemical and light and EM study, 415
Clonal strain, albumin-secreting, of cells of rat hepatoma Morris No. 7795, biochemical and immunological study,
Colchicine, inhibition of cilia regeneration by, protozoan *Tetrahymena*, biochemical and light and EM study, 415
Complexes, multiple core, in spermatocytes and spermatids of grasshopper, EM study, 542
Components, central amorphous and peripheral microfibrillar, of elastic fiber, of fetal calf, separation and partial characterization of, biochemical and EM study, 366
Contact inhibition of replication, diffusible factor in mouse cell line 3T3, biochemical and light microscopic study, 382
Cortex, of ciliated protozoan *Tetrahymena pyriformis*, morphogenesis of basal bodies and accessory structures of, light and EM study, 716
—, of isolated pellicle of *Paramecium aurelia*, ultrastructure of, biochemical and phase-contrast and EM study, 779
Cortical cell, death of during lateral root formation, of field bindweed *Convolvulus arvensis*, light and EM study, 144
Crustacean, copepod *Copilia*, eye structure and optical system of, physical and light and EM study, 279

Crustacean, spider crab *Libinia emarginata*, vitellogenesis in ovary of, light and EM study, 336
Crystals, intracellular microtubular, in mammalian cells, caused by periwinkle (*Vinca*) alkaloids, vinblastine and vincristine sulfate, EM study, 95
Cytochrome *c*, exogenous and endogenous, oxidation of in mitochondria of rat and rabbit liver, kidney, cardiac, and skeletal muscle, biochemical and EM study, 602
Cytokinesis, and protoplasmic streaming, inhibition of in *Chaos chaos* by adenosine triphosphate, reversal by magnesium and calcium ions, biochemical and light microscopic study, 160

D

Diffusible factor, sustainer of contact inhibition of replication, in mouse cell line 3T3, biochemical and light microscopic study, 382
Digitonin-containing aldehyde solution, quantitative retention of cholesterol in mouse liver prepared in, biochemical and mass spectrometric and EM study, 802
DNA breakdown products, release of into culture medium during destruction of polytene chromosomes of *Stylonychia mytilus* exconjugants, biochemical and radioautographic study, 576
—, cellular location and metabolism of minor components of, in slime mold *Physarum polycephalum*, biochemical and light microscopic study, 484
Duckling, *Anas platyrhynchus*, development of surface specialization in secretory epithelium of salt gland of in response to osmotic stress, biochemical and light and EM study, 305

E

Elastic fiber, from ligamentum nuchae of fetal calf, separation and partial characterization of macromolecular components of, biochemical and EM study, 366
Electron microscopy, quantitative, measurement of protein concentration by, biochemical and EM study, 773
— microscopy, quantitative, measurement of thickness within sections by, biochemical and physical and EM study, 768
Embryo, chick, cultured mesodermal cells, differential sensitivity of to actinomycin D, biochemical and cytological study, 209
—, chick, fibrillar intercellular material between reaggregating cells of, biochemical and EM study, 136
—, of C57BL/6J mouse, early morphogenetic events during establishment of hepatic erythropoiesis in, light and EM study, 343
Endocrine cells, in epithelium of gastrointestinal mucosa of rat, light and EM study, 692
— glands, adrenal, thyroid, and gonads, relationship of microbody (peroxisome) proliferation in rat liver to, biochemical and EM study, 734
Endoplasmic reticulum, rough, of adrenocortical cells of Mongolian gerbil, concentric whorls in, light and EM study, 859
Enzyme, alkaline phosphatase, cell cycle events in hydrocortisone regulation of in HeLa S3 cells, biochemical study, 297
Enzymes, *Bacillus subtilis* protease, trypsin, and chymotrypsin, effect of on smooth-surfaced vesicles of rabbit liver microsomes, biochemical study, 179
Epidermis, of rat, sulfur-containing proteins and keratinization of, biochemical and radioautographic light and EM study, 830
Epithelium, mucosal, of toad bladder, anatomic site of permeability barriers of, EM study, 1
—, of gastrointestinal mucosa of rat, endocrine cells in, light and EM study, 672
—, secretory, of avian salt gland, development of surface specialization of in response to osmotic stress, biochemical and light and EM study, 305
Erythrocyte, of human, measurement of protein concentration in by quantitative electron microscopy, biochemical and EM study, 773
—, of human, preservation of lipids of stroma of during fixation and dehydration for electron microscopy, biochemical study, 869
Erythropoiesis, hepatic, in embryonic mouse, early morphogenetic events during establishment of, light and EM study, 343
Exconjugants, of protozoa *Stylonychia mytilus*, release of DNA breakdown products into culture medium of during destruction of polytene chromosomes, biochemical and radioautographic study, 576
Extracellular space, in rhabdome of eye of honeybee drone, cytochemical EM study, 825
Eye, of honeybee drone, extracellular space in rhabdome of, cytochemical EM study, 825
—, structure of, and optical system, of crustacean copepod *Copilia*, physical and light and EM study, 279

F

Fetal calf, ligamentum nuchae, separation and partial characterization of macromolecular components of elastic fiber of, biochemical and EM study, 366
Fiber, elastic, from ligamentum nuchae of fetal calf, separation and partial characterization of macromolecular components of, biochemical and EM study, 366
Fibrillar bodies, intranuclear, in actinomycin D–treated oocytes of newt, biochemical and radioautographic and light and EM study, 286
Fibrils, in intercellular material between reaggregating embryonic chick cells, biochemical and EM study, 136
Fibroblasts, L strain, and human leukocytes, intra-intracellular microtubular crystals in caused by periwinkle (*Vinca*) alkaloids, vinblastine, and vincristine sulfate, EM study, 95
Flagella, of sperm of various insect species, deviations from prevailing pattern of tubules (9 + 9 + 2) in, EM study, 28
Flagellar hairs, origin, structure, and attachment of in *Fucus* and *Ascophyllum* antherozoids, extracellular microtubules in, EM study, 446

Fungi, *Ceratocystis fagacearum* and *Fusarium oxysporum*, mitotic apparatus in, phase-contrast and light microscopic study, 120

G

Gastrointestinal mucosa, of rat, endocrine cells in epithelium of, light and EM study, 692
Gerbil, Mongolian, *Meriones unguiculatus*, adrenocortical cells, concentric whorls of rough endoplasmic reticulum in, light and EM study, 859
Glands, ovalbumin-secreting, of chick oviduct, estrogen-induced cytodifferentiation of, biochemical and histological and EM study, 8
Glucose, oxidation of during phagocytosis by cellular monolayers, biochemical and light microscopic study, 216
Glycoproteins, detection of in Golgi apparatus of rat cells, cytochemical light and EM study, 395
Goldfish, mouse, and chicken, junctions between intimately apposed cell membranes in brain of, EM study, 648
Golgi apparatus, of rat cells, detection of complex carbohydrates in, cytochemical light and EM study, 395
Granules, dense, in matrix of liver mitochondria of normal rat, biochemical and EM study, 565
—, from heterophil leukocytes of rabbit, resolution of into distinct populations by zonal sedimentation, biochemical and EM study, 529
—, large and small, for hormone storage, in beef anterior pituitary gland, isolation, ultrastructure, and biochemical properties of, biochemical and EM study, 225
Growth cycle of hair follicle of mouse, ultrastructural changes of basal lamina during, light and EM study, 561
Guinea pig, and rat, lymph nodes, and rabbit spleen, blast transformation of lymphocytes from induced by mercuric chloride in vitro, biochemical and light microscopic study, 847

H

Hair follicle, of mouse, ultrastructural changes of basal lamina during growth cycle of, light and EM study, 561
Hairs, flagellar, origin, structure, and attachment of in *Fucus* and *Ascophyllum* antherozoids, extracellular microtubules in, EM study, 446
Heart cells, cultured, of rat, effects of actinomycin D on protein synthesis and beating in, biochemical study, 850
HeLa cells, mitotic apparatus, ultrastructural changes in at metaphase-to-anaphase transition, EM study, 678
— S3 cells, cell cycle events in hydrocortisone regulation of alkaline phosphatase in, biochemical study, 297
— S3 cells, persistence of messenger RNA through mitosis in, biochemical and light and EM study, 497
Hepatoma, Morris No. 7795, establishment of albumin-secreting clonal strain of cells of, biochemical and immunological study, 236
Holography, application of to study of motion-induced-contrast images of slime-mold plasmodium, 838
Honeybee drone, eye, extracellular space in rhabdome of, cytochemical EM study, 825
Hormone, diethylstilbesterol, cytodifferentiation of ovalbumin-secreting glands of chick oviduct induced by, biochemical and histological and EM study, 8
— storage granules, large and small, in beef anterior pituitary gland, isolation, ultrastructure, and biochemical properties of, biochemical and EM study, 225
Horse, blood lymphocytes, stimulated with phytohemagglutinin, effect of *N*-acetyl-D-galactosamine and amantadine hydrochloride on, biochemical study, 571
Human, blood lymphocytes, effect of pokeweed mitogen on lysosomes of, biochemical study, 843
—, erythrocyte, measurement of protein concentration in by quantitative electron microscopy, biochemical and EM study, 773
—, erythrocyte, preservation of lipids of stroma of during fixation and dehydration for electron microscopy, biochemical study, 869
—, polymorphonuclear leukocytes, and L-strain fibroblasts, intracellular microtubular crystals in caused by periwinkle (*Vinca*) alkaloids, vinblastine and vincristine sulfate, EM study, 95
Hydrocortisone regulation of alkaline phosphatase, cell cycle events in HeLa S3 cells, biochemical study, 297

I

Inhibitors of cholesterol biosynthesis, triparanol, 20,25-diazacholesterol and AY-9944, effects of on mouse liver, adrenal gland, and testis, histochemical evidence for lysosome response, biochemical and light and EM study, 44
Insect, dipteran *Chironomus tentans*, sources of salivary gland secretion in larva of, biochemical and immunochemical and radioautographic study, 61
—, grasshopper *Chorthippus longicornis*, multiple core complexes in spermatocytes and spermatids of, EM study, 542
—, housefly *Musca domestica*, organization of sarcoplasmic reticulum and T system in femoral muscle of, EM study, 269
—, mealybug *Pseudococcus obscurus*, unusual microtubular patterns and three-dimensional movement of sperm and sperm bundles of, light and EM study, 426
Insects, sperm flagella, deviations from prevailing pattern of tubules (9 + 9 + 2) in, EM study, 28
Ions, magnesium and calcium, reversal by of adenosine triphosphate inhibition of protoplasmic streaming and cytokinesis, in *Chaos chaos*, biochemical and light microscopic study, 160
—, sodium, use of potassium pyroantimonate in localization of, in rat kidney tissue, EM study, 79

J

Junctions, basal, at synaptic endings of visual cells, of turtle, EM study, 577
– (gap, tight, and labile), between intimately apposed cell membranes in vertebrate brain, EM study, 648

K

Keratinization, and sulfur-containing proteins, in epidermis of rat, biochemical and radioautographic light and EM study, 830
Kidney, liver, cardiac, and skeletal muscle, of rat and rabbit, oxidation of exogenous and endogenous cytochrome *c* in mitochondria of, biochemical and EM study, 602
–, of rabbit, carbohydrate surface coat of nephron of, biochemical and EM study, 585
–, of rat, use of potassium pyroantimonate in localization of sodium ions in, EM study, 79

L

Larva, of insect *Chironomus tentans*, sources of salivary gland secretion in, biochemical and immunochemical and radioautographic study, 61
Laser microscope irradiation, effects of on plasmodia of slime mold *Physarum polycephalum*, light and EM study, 108
Lecithin, synthesis, intracellular transport and secretion of in liver of choline-deficient rat, biochemical and radioautographic EM study, 461
Leukocytes, guinea pig peritoneal or human blood, measurement of rates of phagocytosis by monolayers of, glucose oxidation in, biochemical and light microscopic study, 216
–, heterophil, of rabbit, resolution of granules from into distinct populations by zonal sedimentation, biochemical and EM study, 529
Lipids, of human erythrocyte stroma, preservation of during fixation and dehydration for electron microscopy, biochemical study, 869
Liver, adrenal gland, and testis, of mouse, effects of three inhibitors of cholesterol biosynthesis on, histological evidence for lysosome response, biochemical and light and EM study, 44
–, and cardiac muscle, of rat, reactivity and staining of proteins of with phosphotungstic acid, biochemical and EM study, 761
–, kidney, cardiac, and skeletal muscle, of rat and rabbit, oxidation of exogenous and endogenous cytochrome *c* in mitochondria of, biochemical and EM study, 602
–, of choline-deficient rat, lecithin synthesis, intracellular transport and secretion in, biochemical and radioautographic EM study, 461
–, of embryonic mouse, early morphogenetic events during establishment of erythropoiesis in, light and EM study, 343
–, of mouse, prepared in digitonin-containing aldehyde solution, quantitative retention of cholesterol in, biochemical and mass spectrometric and EM study, 802
–, of rabbit, proteolytic microdissection of smooth-surfaced vesicles of microsomes of, biochemical study, 179
Liver, of rat, dense matrix granules of normal mitochondria of, biochemical and EM study, 565
—, of rat, relationship of microbody (peroxisome) proliferation in to endocrine glands, biochemical and EM study, 734
—, preneoplastic, of rat, fine structure of proliferating cells during azo-dye carcinogenesis, radioautographic light and EM study, 322
Lymphocytes, blood, of horse, stimulated with phytohemagglutinin, effect of *N*-acetyl-D-galactosamine and amantadine hydrochloride on, biochemical study, 571
—, blood, of human, effect of pokeweed mitogen on lysosomes of, biochemical study, 843
—, of guinea pig and rat lymph nodes and rabbit spleen, blast transformation of induced by mercuric chloride in vitro, biochemical and light microscopic study, 847
Lysosome response, histochemical evidence for in study of effects of three inhibitors of cholesterol biosynthesis on mouse liver, adrenal gland, and testis, biochemical and light and EM study, 44
Lysosomes, of human blood lymphocytes, effect of pokeweed mitogen on, biochemical study, 843

M

Mast cells, of rat, uptake of colloidal thorium dioxide by, EM study, 747
Matrix, of liver mitochondria of normal rat, dense granules in, biochemical and EM study, 565
Meiosis, chromosome pairing in triploid *Lilium tigrinum* during, light and EM study, 273
Mercuric chloride, in vitro induction by of lymphocytes from guinea pig, rat, and rabbit, study of blast transformation, biochemical and light microscopic study, 847
Meristem, of plants *Allium porum* and *Triticum vulgare*, organization of nucleolus in cells of, biochemical and radioautographic and light and EM study, 633
Microbody (peroxisome), in rat liver, relationship of proliferation of to endocrine glands, biochemical and EM study, 734
Microsomes, of rabbit liver, proteolytic microdissection of smooth-surfaced vesicles of, biochemical study, 179
Microtubular crystals caused by periwinkle (*Vinca*) alkaloids, vinblastine, and vincristine sulfate, in mammalian cells, EM study, 95
Microtubules, extracellular, in *Fucus* and *Ascophyllum* antherozoids, origin, structure, and attachment of flagellar hairs, EM study, 446
—, in mitotic apparatus, of alga *Blastophysa rhizopus* Reinke, arms and bridges on, EM study, 854
—, unusual patterns of and three-dimensional movement of mealybug sperm and sperm bundles, light and EM study, 426
Mitochondria, of liver, kidney, cardiac, and skeletal muscle, of rat and rabbit, oxidation of exogenous and endogenous cytochrome *c* in, biochemical and EM study, 602
—, of liver of normal rat, dense granules in matrix of, biochemical and EM study, 565
Mitogen, of plant pokeweed, effect of on lysosomes

of human blood lymphocytes, biochemical study, 843
Mitosis, in HeLa cells, persistence of messenger RNA through, biochemical and light and EM study, 497
—, mechanism of, in fungi *Ceratocystis fagacearum* and *Fusarium oxysporum*, phase-contrast and light microscopic study, 120
Mitotic apparatus, of alga *Blastophysa rhizopus* Reinke, arms and bridges on microtubules of, EM study, 854
— apparatus, of HeLa cells, at metaphase-to-anaphase transition, ultrastructural changes in, EM study, 678
M line, and Z line, effect of various protein fractions on reconstitution of, in myofibrillar bundles of rabbit skeletal muscle, light and EM study, 167
Mouse, C57BL/6J, embryo, early morphogenetic events during establishment of hepatic erythropoiesis in, light and EM study, 343
—, cell line 3T3, diffusible factor which sustains contact inhibition of replication, biochemical and light microscopic study, 382
—, dorsal root ganglia, and rat adrenal gland, uptake of protein (horseradish peroxidase) by neurons of, cytochemical light and EM study, 863
—, goldfish and chicken, junctions between intimately apposed cell membranes in brain of, EM study, 648
—, hair follicle, ultrastructural changes of basal lamina during growth cycle of, light and EM study, 561
—, liver, adrenal gland, and testis, effects of three inhibitors of cholesterol biosynthesis on, histological evidence for lysosome response, biochemical and light and EM study, 44
—, liver, prepared in digitonin-containing aldehyde solution, quantitative retention of cholesterol in, biochemical and mass spectrometric and EM study, 802
—, regenerating skeletal muscle, uptake of thymidine-^{3}H by satellite cells of, radioautographic EM study, 568
Mucosa, gastrointestinal, of rat, endocrine cells in epithelium of, light and EM study, 692
Multiple core complexes, in spermatocytes and spermatids of grasshopper, EM study, 542
Muscle, cardiac, and liver, of rat, reactivity and staining of proteins of with phosphotungstic acid, biochemical and EM study, 761
—, cardiac and skeletal, kidney, and liver, of rat and rabbit, oxidation of exogenous and endogenous ctochrome *c* in mitochondria of, biochemical and EM study, 602
—, skeletal, of housefly *Musca domestica*, organization of sarcoplasmic reticulum and T system in, EM study, 269
—, skeletal, of rabbit, effect of various protein fractions on Z- and M-line reconstitution of myofibrillar bundles of, light and EM study, 167
—, skeletal, regenerating, of mouse, uptake of thymidine-^{3}H by satellite cells of, radioautographic EM study, 568
Myelin, of peripheral nerve of rat, incorporation of choline into, radioautographic light and EM study, 190
Myxomycete, slime-mold plasmodium, motion-induced-contrast images of, holographic study, 838

N

Nephridial apparatus, of *Paramecium multimicronucleatum*, mechanism of, filling of water expulsion vesicle by action of ampullae, cinephotomicrographic study, 389
Nerve, peripheral, of rat, choline incorporation into myelin of, radioautographic light and EM study, 190
Neurons, of rat adrenal gland, and of mouse dorsal root ganglia, uptake of protein (horseradish peroxidase) by, cytochemical light and EM study, 863
Nuclear reproduction, in dinoflagellate *Gyrodinium cohnii*, light and EM study, 508
Nuclei, of newt oocytes treated with actinomycin D, fibrillar bodies in, biochemical and radioautographic and light and EM study, 286
Nucleolus, in meristematic plant cells, organization of, biochemical and radioautographic and light and EM study, 633
—, sites of production of in cultured Chinese hamster fetus cells, radioautographic and light and EM study, 248

O

Oocytes, of newt *Triturus viridescens*, intranuclear fibrillar bodies in after treatment with actinomycin D, biochemical and radioautographic and light and EM study, 286
Optical system, and eye structure, of crustacean copepod *Copilia*, physical and light and EM study, 279
Osmotic stress, development of surface specialization in secretory epithelium of avian salt gland in response to, biochemical and light and EM study, 305
Ovalbumin-secreting glands of chick oviduct, cytodifferentiation in induced by estrogen, biochemical and histological and EM study, 8
Ovary, of spider crab *Libinia emarginata*, vitellogenesis in, light and EM study, 336
Oviduct, of chick, estrogen-induced cytodifferentiation of ovalbumin-secreting glands of, biochemical and histological and EM study, 8

P

Particles, of radioactive starch or *Salmonella typhimurium*, measurement of rates of phagocytosis and glucose oxidation, uptake of by cellular monolayers, biochemical and light microscopic study, 216
Pellicle, isolated, of *Paramecium aurelia*, ultrastructure of cortical layer of, biochemical and phase-contrast and EM study, 779
Permeability barriers, transepithelial, of toad bladder, anatomic site of, EM study, 1

Phagocytosis, measurement of rates of, uptake of particles by monolayers of guinea pig peritoneal or human blood leukocytes, glucose oxidation during, biochemical and light microscopic study, 216
Phosphotungstic acid, reactivity and staining of tissue proteins with, biochemical and EM study, 761
Phytohemagglutinin, effect of *N*-acetyl-D-galactosamine and amantadine hydrochloride on equine lymphocytes stimulated with, biochemical study, 571
Pituitary gland, anterior, of beef, isolation, ultrastructure, and biochemical properties of large and small hormone storage granules in, biochemical and EM study, 225
Plant, field bindweed, *Convolvulus arvensis*, cortical cell death during lateral root formation, light and EM study, 144
—, pokeweed *Phytolacca americana*, effect of mitogen from on lysosomes of human blood lymphocytes, biochemical study, 843
—, tiger lily, *Lilium tigrinum*, fine structure of meiotic chromosome pairing in triploid of, light and EM study, 273
— viruses, icosahedral, Southern bean mosaic and tomato ringspot, inter- and intracellular translocation of, EM study, 814
Plants, *Allium porum* and *Triticum vulgare*, organization of nucleolus in meristematic cells of, biochemical and radioautographic and light and EM study, 633
Plasmodia, of slime mold *Physarum polycephalum*, effects of laser microscope irradiation on, light and EM study, 108
Plasmodium, of slime mold, motion-induced-contrast images of, holographic study, 838
Potassium pyroantimonate, use of in localization of sodium ions, in rat kidney tissue, EM study, 79
Protein concentration, of human erythrocyte, measurement of by quantitative electron microscopy, biochemical and EM study, 773
— fractions, myofibrillar extract, Bailey extract of natural actomysin, α-actinin, tropomyosin, effect of on Z- and M-line reconstitution in myofibrillar bundles of rabbit skeletal muscle, light and EM study, 167
— (horseradish peroxidase), uptake of by mammalian neurons, cytochemical light and EM study, 863
— synthesis, and beating, in cultured rat heart cells, effects of actinomycin D on, biochemical study, 850
Proteins, albumin, skeletal muscle precipitate, and collagen, reactivity and staining of with phosphotungstic acid, biochemical and EM study, 761
—, in salivary gland secretion, in larva of insect *Chironomus tentans*, biochemical and immunochemical and radioautographic study, 61
—, sulfur-containing, and keratinization, in epidermis of rat, biochemical and radioautographic light and EM study, 830
Protozoan, *Amoeba proteus*, origin of ribosomes and cytoplasmic RNA in, biochemical study, 622
—, *Chaos chaos*, inhibition of protoplasmic streaming and cytokinesis of by adenosine triphosphate and reversal by magnesium and calcium ions, biochemical and light microscopic study, 160
—, dinoflagellate *Gyrodinium cohnii* (Schiller), nuclear reproduction in, light and EM study, 508
—, *Paramecium aurelia*, ultrastructure of cortical layer of isolated pellicle of, biochemical and phase-contrast and EM study, 779
—, *Paramecium multimicronucleatum*, mechanism of nephridial apparatus of, filling of water expulsion vesicle by action of ampullae, cinephotomicrographic study, 389
—, *Tetrahymena pyriformis*, cilia regeneration and inhibition by colchicine in, biochemical and light and EM study, 415
—, *Tetrahymena pyriformis*, morphogenesis of basal bodies and accessory structures of cortex of, light and EM study, 716
Protozoa, *Stylonychia mytilus* exconjugants, release of DNA breakdown products into culture medium of during destruction of polytene chromosomes, biochemical and radioautographic study, 576
Pulverization, or accentuated secondary constrictions, of permanent cell line chromosomes, tritium-labeling patterns, radioautographic study, 553

R

Rabbit, heterophil leukocytes, resolution of granules from into distinct populations by zonal sedimentation, biochemical and EM study, 529
—, kidney, carbohydrate surface coat of nephron of, biochemical and EM study, 585
—, liver microsomes, proteolytic microdissection of smooth-surfaced vesicles of, biochemical study, 179
—, and rat, liver, kidney, cardiac, and skeletal muscle, oxidation of exogenous and endogenous cytochrome *c* in mitochondria of, biochemical and EM study, 602
—, skeletal muscle, effect of various protein fractions on Z- and M-line reconstitution of myofibrillar bundles of, light and EM study, 167
—, spleen, and rat and guinea pig lymph nodes, blast transformation of lymphocytes from induced by mercuric chloride in vitro, biochemical and light microscopic study, 847
Radioactive label, adenine-^{3}H, uridine-^{3}H, cytidine-^{3}H, amino acids-^{3}H, proteose peptone-^{32}P, origin of ribosomes in *Amoeba proteus*, biochemical study, 622
— label, adenosine triphosphate-^{14}C, inhibition of protoplasmic streaming and cytokinesis of *Chaos chaos* by, reversal by magnesium and calcium ions, biochemical and light microscopic study, 160
— label, amino acids-^{14}C and uridine-^{14}C, cilia regeneration and inhibition by colchicine in protozoan *Tetrahymena*, biochemical and light and EM study, 415
— label, ^{45}calcium chloride, dense granules in matrix of mitochondria of normal rat liver, biochemical and EM study, 565

Radioactive label, choline-^{3}H and ethanolamine-^{3}H, linoleic acid-^{14}C, glycerol-^{3}H, choline-^{14}C, and ethanolamine-^{14}C, lecithin synthesis, intracellular transport and secretion in liver of choline-deficient rat, biochemical and radioautographic EM study, 461
— label, choline-^{3}H, incorporation of into peripheral nerve myelin of rat, radioautographic light and EM study, 190
— label, cystine-^{3}H, sulfur-containing proteins and keratinization in epidermis of rat, biochemical and radioautographic light and EM study, 830
— label, cytidine-^{3}H and thymidine-^{3}H, organization of nucleolus in meristematic plant cells, biochemical and radioautographic and light and EM study, 633
—label, leucine-^{14}C, phenylalanine-^{14}C, lysine-^{14}C, lysine-^{3}H, amino acids-^{14}C, sources of salivary gland secretion in larva of insect *Chironomus tentans*, biochemical and immunochemical and radioautographic study, 61
— label, leucine-^{14}C, and uridine-^{14}C, differential sensitivity of cultured mesodermal cells of chick embryo to actinomycin D, biochemical and cytological study, 209
—label, *Salmonella typhimurium*-^{32}P, acetyl-^{14}C- or methyl-^{14}C-starch particles, glucose-^{14}C, measurement of rates of phagocytosis and glucose oxidation by cellular monolayers, biochemical and light microscopic study, 216
— label, thymidine-^{14}C and thymidine-^{3}H, minor components of DNA of slime mold *Physarum polycephalum*, cellular location and metabolism, biochemical and light microscopic study, 484
— label, thymidine-^{3}H, blast transformation of lymphocytes from guinea pig, rat, and rabbit induced by mercuric chloride in vitro, biochemical and light microscopic study, 847
— label, thymidine-^{3}H, fine structure of proliferating rat liver cells during azo-dye carcinogenesis, radioautographic light and EM study, 322
— label, thymidine-^{3}H, release of DNA breakdown products into culture medium of protozoa *Stylonychia mytilus* during destruction of polytene chromosomes, biochemical and radioautographic study, 576
— label, thymidine-^{3}H, tritium-labeling patterns of permanent cell line chromosomes showing pulverization or accentuated secondary constrictions, radioautographic study, 553
— label, thymidine-^{3}H, uptake of by satellite cells of regenerating skeletal muscle of mouse, radioautographic EM study, 568
— label, uridine-^{14}C, alanine-^{14}C, and Na acetate-^{14}C, effect of *N*-acetyl-D-galactosamine and amantadine hydrochloride on equine lymphocytes stimulated with phytohemagglutinin, biochemical study, 571
— label, uridine-^{14}C, and amino acids-^{14}C, effects of actinomycin D on protein synthesis and beating in cultured rat heart cells, biochemical study, 850
— label, uridine-^{14}C and thymidine-^{14}C, diffusible factor which sustains contact inhibition of replication, in mouse cell line 3T3, biochemical and light microscopic study, 382
Radioactive label, uridine-^{14}C, uridine-^{3}H, threonine-^{14}C, and threonine-^{3}H, persistence of messenger RNA through mitosis in HeLa cells, biochemical and light and EM study, 497
— label, uridine-^{3}H, intranuclear fibrillar bodies in actinomycin D–treated oocytes of newt, biochemical and radioautographic and light and EM study, 286
— label, uridine-^{3}H, sites of nucleolus production in cultured Chinese hamster fetus cells, radioautographic and light and EM study, 248
Rat, adrenal gland, and mouse dorsal root ganglia, uptake of protein (horseradish peroxidase) by neurons of, cytochemical light and EM study, 863
—, cells of surface epithelia, glands, genital organs, hard tissues, nervous system, and excretory system, detection of complex carbohydrates in Golgi apparatus of, cytochemical light and EM study, 395
—, cultured heart cells, effects of actinomycin D on protein synthesis and beating in, biochemical study, 850
—, epidermis, sulfur-containing proteins and keratinization of, biochemical and radioautographic light and EM study, 692
—, gastrointestinal mucosa, endocrine cells in epithelium of, light and EM study, 847
—, and guinea pig, lymph nodes, and rabbit spleen, blast transformation of lymphocytes from induced by mercuric chloride in vitro, biochemical and light microscopic study, 847
—, hepatoma Morris No. 7795, establishment of albumin-secreting clonal strain of cells of, biochemical and immunological study, 236
—, kidney, use of potassium pyroantimonate in localization of sodium ions in, EM study, 79
—, liver and cardiac muscle, reactivity and staining of proteins of with phosphotungstic acid, biochemical and EM study, 761
—, liver, choline-deficient, lecithin synthesis, intracellular transport and secretion in, biochemical and radioautographic EM study, 461
—, liver, dense matrix granules of normal mitochondria of, biochemical and EM study, 565
—, liver, relationship of microbody (peroxisome) proliferation in to endocrine glands, biochemical and EM study, 734
—, mast cells, uptake of colloidal thorium dioxide by, EM study, 747
—, peripheral nerve, choline incorporation into myelin of, radioautographic light and EM study, 190
—, preneoplastic liver, fine structure of proliferating cells in during azo-dye carcinogenesis, radioautographic light and EM study, 322
—, and rabbit, liver, kidney, cardiac, and skeletal muscle, oxidation of exogenous and endogenous cytochrome *c* in mitochondria of, biochemical and EM study, 602
Reproduction, nuclear, in dinoflagellate *Gyrodinium cohnii*, light and EM study, 508
Resin, anion exchange, measurement of thickness

within sections of by quantitative electron microscopy, biochemical and physical and EM study, 768
Rhabdome, of eye of honeybee drone, extracellular space in, cytochemical EM study, 825
Ribosomes, and cytoplasmic RNA, origin of, in *Amoeba proteus*, biochemical study, 622
RNA, cytoplasmic, and ribosomes, origin of, in *Amoeba proteus*, biochemical study, 622
—, messenger, persistence of through mitosis in HeLa cells, biochemical and light and EM study, 497
Root, lateral, of field bindweed *Convolvulus arvensis*, cortical cell death during formation of, light and EM study, 144

S

Salivary gland, in larva of insect *Chironomus tentans*, sources of secretion in, biochemical and immunochemical and radioautographic study, 61
Salt gland, of duckling, development of surface specialization in secretory epithelum of in response to osmotic stress, biochemical and light and EM study, 305
Sarcoplasmic reticulum, and T system, organization of in femoral muscle of housefly *Musca domestica*, EM study, 269
Satellite cells, of regenerating skeletal muscle of mouse, uptake of thymidine-^{3}H by, radioautographic EM study, 568
Section thickness, measurement of by quantitative electron microscopy, biochemical and physical and EM study, 768
Slime mold, *Physarum polycephalum*, effects of laser microscope irradiation of plasmodia of, light and EM study, 108
— mold, *Physarum polycephalum*, minor components of DNA of, cellular location and metabolism, biochemical and light microscopic study, 484
Sodium ions, use of potassium pyroantimonate in localization of, in rat kidney tissue, EM study, 79
Spermatocytes, and spermatids, of grasshopper, multiple core complexes in, EM study, 542
Spermatozoa, of mealybug *Pseudococcus obscurus*, unusual microtubular patterns and three-dimensional movement of, light and EM study, 426
Sperm, of various insect species, deviations from prevailing pattern of tubules (9 + 9 + 2) in flagella of, EM study, 28
Spindle tubules, pericentriolar, of HeLa cells, at metaphase-to-anaphase transition, EM study, 678
Streaming, protoplasmic, and cytokinesis, inhibition of in *Chaos chaos* by adenosine triphosphate, reversal by magnesium and calcium ions, biochemical and light microscopic study, 160
Stroma, of human erythrocyte, preservation of lipids of during fixation and dehydration for electron microscopy, biochemical study, 869
Sulfur-containing proteins, and keratinization, in epidermis of rat, biochemical and radioautographic light and EM study, 830
Surface coat, of nephron of kidney of rabbit, biochemical and EM study, 585
Synaptic endings, of turtle visual cells, basal junctions at, EM study, 577

T

Testis, adrenal gland, and liver, of mouse, effects of three inhibitors of cholesterol biosynthesis on, histochemical evidence for lysosome response, biochemical and light and EM study, 44
Thorium dioxide, colloidal, uptake of by mast cells of rat, EM study, 747
Toad, *Bufo marinus*, urinary bladder, anatomic site of transepithelial permeability barriers of, EM study, 1
Translocation, inter- and intracellular, of icosahedral plant viruses Southern bean mosaic and tomato ringspot, EM study, 814
Triploid *Lilium tigrinum*, fine structure of meiotic chromosome pairing in, light and EM study, 273
Tritium-labeling patterns of permanent cell lines, chromosomes showing pulverization or accentuated secondary constrictions, radioautographic study, 553
T system, and sarcoplasmic reticulum, organization of in femoral muscle of housefly *Musca domestica*, EM study, 269
Tubules, in sperm flagella of certain insect species, deviations from prevailing pattern (9 + 9 + 2) in, EM study, 28
Turtle, *Pseudemys elegans*, basal junctions at synaptic endings of visual cells of, EM study, 577

V

Vesicle, for water expulsion ("contractile vacuole"), of *Paramecium multimicronucleatum*, filling of by action of ampullae, cinephotomicrographic study, 389
Vesicles, smooth-surfaced, of rabbit liver microsomes, proteolytic microdissection of, biochemical study, 179
Virus, plant, Southern bean mosaic and tomato ringspot, inter- and intracellular translocation of, EM study, 814
Visual cells, of turtle, basal junctions at synaptic endings of, EM study, 577
Vitellogenesis, in ovary of spider crab *Libinia emarginata*, light and EM study, 336

W

Whorls, concentric, of rough endoplasmic reticulum in adrenocortical cells of Mongolian gerbil, light and EM study, 859

Z

Z line, and M line, effect of various protein fractions on reconstitution of, in myofibrillar bundles of rabbit skeletal muscle, light and EM study, 167